

COMPACT®

LED LIGHTS



Price List Cum Catalogue

w.e.f 1st September 2022

LED LIGHTING | FANS | APPLIANCES

COMPACT

COMPACT

COMPACT

COMPACT

COMPACT

COMPACT

COMPACT

COMPACT

“ तमसो मा ज्योतिर्गमय ” - Leading from darkness to light

COMPACT symbolises a professional enterprise synonymous with lighting. We are one of the largest brand manufacturers in India with more than 40000 Sq ft space dedicated to lighting.

COMPACT has always been a trendsetter in the Lighting industry. With more than 6 design patents, our biggest strength is our ability to develop electric lighting solutions tailormade to Indian power conditions.

Our smart factory incorporates the best practices of automated manufacturing systems with more than 6 dedicated lines. Our in-house SMT (Surface Mounting Technology) Plant gives us a deep foundation in Electronic Manufacturing Systems(EMS). With full backward integration like our own Extrusion machines, we are dedicated towards local manufacturing with “Made in India” LED lights not just assembled in India.

Our large product portfolio covers the entire spectrum of consumer lighting needs, both domestic and commercial. We have always believed in offering our customers superior quality products delivering optimum value. Our strong network presence in more than 10 states in India helps us touch more than 3000 retail points across the country.

With best in class after sales service, we stand by the guarantees offered on our products. COMPACT is a hallmark of trust and we truly cherish the faith that our customers have reposed in us.

We stand strong today and wish to thank millions of our customers whose life we have touched in a small way. Bringing light to your life, we stand committed to our core values of Honesty, Sincerity and Trust.



Polycarbonate Extrusion Machine



Printer



SMD Pick & Place



Reflow Oven



LED Driver Aging

CLIENT PORTFOLIO

SCHOOLS & UNIVERSITY



Amity School - Noida



GD Goenka Public School-New Delhi



Delhi Public School - Hapur



Indus Valley Public School - Noida



Bal Bharati Public School - Delhi



Tilak Maharashtra University - Delhi



MM University - Mullana



Jauhar University - Rampur



Indian Statistical Institute - Bangalore



Mothers Pride School - Delhi

HOSPITALS



SRMS Hospital - Bareilly



Apollo Hospital - Noida



Sant Dnyaneshwar Hospital - Bareilly




Rajiv Gandhi Cancer Institute & Research Center - New Delhi



Payyanur Co-Operative Hospital - Kerala

HOTELS & RESORTS



The Oberoi Rajvilas Hotel - Rajasthan



Radisson Blu Hotel - Rudrapur



Country Inn & Resort - Ghaziabad



Alcazar Wedding Resort - Patiala



The Blue Orchid Hotel & Resort - Rammagar

SHOWROOMS



Shoppers Stop - Hyderabad



Pacific Mall - New Delhi



Westside Showroom - Bareilly



Tanishq Showroom - Bareilly



Hyundai Showroom - Noida

BANKS & MNC



State Bank of India - Noida



HDFC Bank - NCR



Synopsis MNC - Noida

PETROL PUMP



Indian Oil Corporation - Delhi



BPCL Petrol Pump-U.P. & Ultrahand

6W 12W 15W 18W

PANEL

UNO



Application Area :

Office Space, Conference Room, General Area, Reception, Home

LED 2835	Non Adjustable	Very Wide Beam	Ceiling Thickness	IP20 Dust / Insect protected	CRI >80	PF >0.95	4KV Surge Protection	(100-350V) AC 50Hz	Colours Available CW WW WY	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
----------	----------------	----------------	-------------------	---------------------------------	---------	----------	----------------------	--------------------	-------------------------------	---------------------	-------------------	-----------------

UNO PANEL - Backlit Downlight Panel | Polycarbonate Housing | Anti Glare Recessed Mounting

L-710 MRP : ₹ 340.00

6W LED UNO Panel Round
Lumen : CW : 540
Packing Case : 40




L-715 MRP : ₹ 670.00

15W LED UNO Panel Round
Lumen : CW : 1350
Packing Case : 20



L-712 MRP : ₹ 520.00

12W LED UNO Panel Round
Lumen : CW : 1080
Packing Case : 20



L-721 MRP : ₹ 720.00

18W LED UNO Panel Round
Lumen : CW : 1600
Packing Case : 20



6W 12W 15W 18W

PANEL

UNO



Application Area :

Office Space, Conference Room, General Area, Reception, Home

LED 2835	Non Adjustable	Very Wide Beam 135°	Ceiling Thickness 6-25mm	IP20 Dust / Insect protected	CRI > 80	PF > 0.95	4KV Surge Protection	(100-350V) AC 50Hz	Colours Available CW WW WY	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
----------	----------------	------------------------	-----------------------------	---------------------------------	----------	-----------	----------------------	--------------------	-------------------------------	---------------------	-------------------	-----------------

UNO PANEL - Backlit Downlight Panel | Polycarbonate Housing | Anti Glare Recessed Mounting

L-716 **MRP : ₹ 340.00**

6W LED UNO Panel Square

Lumen : CW : 540

Packing Case : 40



L-720 **MRP : ₹ 670.00**

15W LED UNO Panel Square

Lumen : CW : 1350

Packing Case : 20



L-718 **MRP : ₹ 520.00**

12W LED UNO Panel Square

Lumen : CW : 1080

Packing Case : 20




L-722 **MRP : ₹ 720.00**

18W LED UNO Panel Square

Lumen : CW : 1600

Packing Case : 20



8W

15W

PANEL
UNO



Application Area :


Office Space, Conference Room, General Area, Reception, Home

LED 2835	Non Adjustable	135° Very Wide Beam	IP20 Dust / Insect protected	CRI > 80	PF > 0.95	4KV Surge Protection	In-Built Driver	(100-350V) AC 50Hz	Colours Available CW NW WW	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
----------	----------------	---------------------	---------------------------------	----------	-----------	----------------------	-----------------	--------------------	-------------------------------	---------------------	-------------------	-----------------

UNO PANEL - Backlit Downlight Panel | Polycarbonate Housing | Anti Glare Borderless | Surface Mounting


L-271 **MRP : ₹ 540.00**

8W LED Uno Surface Panel
Lumen : CW : 800
Packing Case : 40



L-284 **MRP : ₹ 720.00**


15W LED Uno Surface Panel
Lumen : CW : 1500
Packing Case : 20



UNO Click - 3 in 1 - CW/NW/WW

L-289 **MRP : ₹ 950.00**

15W LED Uno Surface Panel
Lumen : CW : 1500
Packing Case : 20



4W 6W 12W 15W 18W 22W

PANEL
PREMIUM



Application Area :

Office Space, Conference Room, General Area, Reception, Home

LED 2835	Non Adjustable	Very Wide Beam 135°	Ceiling Thickness 6-25mm	IP20 Dust / Insect protected	CRI > 80	PF > 0.95	4KV Surge Protection	(100-350V) AC 50Hz	Colours Available CW NW WW	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
----------	----------------	------------------------	-----------------------------	---------------------------------	----------	-----------	----------------------	--------------------	-------------------------------	---------------------	-------------------	-----------------

**PREMIUM - Edge Lit Panel | PMMA Light guide diffuser | Aluminum Housing
Anti Glare | Recessed Mounting**

L-96II **MRP : ₹ 440.00**
4W LED Premium Panel Round
 Lumen : CW : 280
 Packing Case : 20
 Driver : AL-11



L-99 **MRP : ₹ 1040.00**
15W LED Premium Panel Round
 Lumen : CW : 1380
 Packing Case : 8
 Driver : AL-72



L-97 **MRP : ₹ 580.00**
6W LED Premium Panel Round
 Lumen : CW : 450
 Packing Case : 20
 Driver : AL-23



L-100 **MRP : ₹ 1150.00**
18W LED Premium Panel Round
 Lumen : CW : 1400
 Packing Case : 8
 Driver : AL-81



L-98 **MRP : ₹ 800.00**
12W LED Premium Panel Round
 Lumen : CW : 900
 Packing Case : 12
 Driver : AL-44



L-95 **MRP : ₹ 1360.00**
22W LED Premium Panel Round
 Lumen : CW : 1560
 Packing Case : 8
 Driver : AL-82



4W

6W

12W

15W

22W



Application Area :

Office Space, Conference Room, General Area, Reception, Home

LED 2835	Non Adjustable	135° Very Wide Beam	6.25mm Ceiling Thickness	IP20 Dust / Insect protected	CRI >80	PF >0.95	4KV Surge Protection	(100-350V) AC 50Hz	Colours Available CW, NW, WW	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
----------	----------------	---------------------	--------------------------	------------------------------	---------	----------	----------------------	--------------------	------------------------------	---------------------	-------------------	-----------------

PREMIUM - Edge Lit Panel | PMMA Light guide diffuser | Aluminum Housing Anti Glare | Recessed Mounting

L-90II **MRP : ₹ 440.00**

4W LED Premium Panel Square

Lumen : CW : 280

Packing Case : 20

Driver : AL-11



L-93 **MRP : ₹ 1040.00**

15W LED Premium Panel Square

Lumen : CW : 1200

Packing Case : 8

Driver : AL-72




L-91 **MRP : ₹ 580.00**

6W LED Premium Panel Square

Lumen : CW : 430

Packing Case : 20

Driver : AL-23



L-94 **MRP : ₹ 1360.00**

22W LED Premium Panel Square

Lumen : CW : 1630

Packing Case : 8

Driver : AL-82




L-92 **MRP : ₹ 800.00**

12W LED Premium Panel Square

Lumen : CW : 820

Packing Case : 12

Driver : AL-44



6W 12W 15W

PANEL
PREMIUM



Application Area :

Office Space, Conference Room, General Area, Reception, Home



LED 2835



Non Adjustable



135°
Very Wide Beam



IP20
Dust / Insect protected



CRI > 80




PF > 0.95



4KV
Surge Protection



(100-350V)
AC 50Hz



Colours Available
CW NW WW



All dimension in mm



Fluctuation Proof



2 YEAR WARRANTY

PREMIUM SURFACE - Edge Lit Panel | PMMA Light guide diffuser | Aluminum Housing
Anti Glare | Surface Mounting


L-263 MRP : ₹ 660.00

6W LED Premium Panel Round

Lumen : CW : 450

Packing Case : 20

Driver : AL-45




L-267 MRP : ₹ 1050.00

15W LED Premium Panel Round

Lumen : CW : 1160

Packing Case : 8

Driver : AL-75




L-269 MRP : ₹ 920.00

12W LED Premium Panel Round

Lumen : CW : 900

Packing Case : 8

Driver : AL-44



6W 12W 15W

PANEL
PREMIUM



Application Area :

Office Space, Conference Room, General Area, Reception, Home


LED 2835	Non Adjustable	Very Wide Beam 135°	IP20 Dust / Insect protected	CRI >80	PF >0.95	4KV Surge Protection	(100-350V) AC 50Hz	Colours Available CW NW WW	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
----------	----------------	------------------------	---------------------------------	---------	----------	-------------------------	-----------------------	-------------------------------	------------------------	-------------------	--------------------

PREMIUM SURFACE - Edge Lit Panel | PMMA Light guide diffuser | Aluminum Housing
Anti Glare | Recessed Mounting

L-264 MRP : ₹ 660.00

6W LED Premium Panel Square


Lumen : CW : 430
Packing Case : 20
Driver : AL-45



L-268 MRP : ₹ 1050.00

15W LED Premium Panel Square


Lumen : CW : 1160
Packing Case : 8
Driver : AL-75



L-270 MRP : ₹ 920.00

12W LED Premium Panel Square

Lumen : CW : 900
Packing Case : 8
Driver : AL-44



5W 6W 10W

DOWN LIGHT

HERO



Application Area :

Office Space, Conference Room, General Area, Reception, Home

LED 2835	Non Adjustable	Very Wide Beam	IP 20 Dust / Insect protected	CRI > 80	PF > 0.95	3KV Surge Protection	In-Built Driver	(100-350V) AC 50Hz	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
----------	----------------	----------------	----------------------------------	----------	-----------	----------------------	-----------------	--------------------	---------------------	-------------------	-----------------

HERO - Backlit Downlight | Polycarbonate Housing | Glare Free Light | Recessed Mounting into Concealed Box

L-179 MRP : ₹ 220.00

5W LED Smart Hero
Lumen : CW : 450
Packing Case : 100



L-217 MRP : ₹ 290.00


6W LED Click Hero
Packing Case : 100



Click Hero - 3 in 1 - Blue-Red-Pink

L-185 MRP : ₹ 220.00

5W LED Smart Hero
Packing Case : 100




L-219 MRP : ₹ 290.00

6W LED Click Hero
Lumen : CW : 450
Packing Case : 100
Click Hero - 3 in 1 - CW/NW/WW




L-204 MRP : ₹ 230.00

6W LED Best Hero
Lumen : CW : 660
Packing Case : 100



L-210 MRP : ₹ 330.00

10W LED Best Hero
Lumen : CW : 900
Packing Case : 100





Application Area :

Office Space, Conference Room, General Area, Reception, Home

LED 2835	Non Adjustable	135° Very Wide Beam	IP 20 Dust / Insect protected	CRI > 80	PF > 0.95	3KV Surge Protection	In-Built Driver	(100-350V) AC 50Hz	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
----------	----------------	---------------------	----------------------------------	----------	-----------	----------------------	-----------------	--------------------	---------------------	-------------------	-----------------


JUNCTION BOX - Backlit Downlight | Polycarbonate Housing | Glare Free Light Recessed Mounting into Junction Box

L-JB-3W MRP : ₹ 160.00

3W LED Junction Box

Lumen : CW : 250

Packing Case : 120




STRIKER - Backlit Downlight | Polycarbonate Housing | Glare Free Light Surface Mounting

L-209 MRP : ₹ 160.00

3W LED Striker Light

Lumen : CW : 300

Packing Case : 80



6W 12W

DOWN LIGHT
CHAMPION



Application Area :


Office Space, Conference Room, General Area, Reception, Home

LED 2835	Non Adjustable	Narrow Beam	IP 20 Dust / Insect protected	CRI >80	PF >0.95	3KV Surge Protection	In-Built Driver	(100-350V) AC 50Hz	Colours Available CW NW WW	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
----------	----------------	-------------	----------------------------------	---------	----------	----------------------	-----------------	--------------------	-------------------------------	---------------------	-------------------	-----------------

CHAMPION - Rimless Backlit Downlight | Polycarbonate Housing | Glare Free Light Recessed Mounting into Junction Box


L-207 MRP : ₹ 250.00

6W LED Champion Light
Lumen : CW : 600
Packing Case : 120



L-208 MRP : ₹ 400.00

12W LED Champion Light
Lumen : CW : 1200
Packing Case : 40



PATH LIGHT - LED Pathlight- Swivel Light Polycarbonate Housing | Anti Glare Recessed Mounting


L-17 MRP : ₹ 350.00

3W LED Path Light
Dimensions : For direct fit into 5"x3" Box
Packing Case : 40

L-17 MRP : ₹ 400.00

3W LED Path Light
Dimensions : For direct fit into 5"x3" Box
Packing Case : 40





Application Area :

Office Space, Conference Room, General Area, Reception, Home

LED 2835	Non Adjustable	Narrow Beam	IP 20 Dust / Insect protected	CRI > 80	PF > 0.95	3KV Surge Protection	(100-350V) AC 50Hz	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
----------	----------------	-------------	----------------------------------	----------	-----------	----------------------	--------------------	---------------------	-------------------	-----------------

JEWEL - Spot Light | Polycarbonate Housing | Inbuilt Driver | Recessed Mounting


L-159 MRP : ₹ 160.00

2W LED Jewel Light

Lumen : CW : 100

Packing Case : 80

Driver : In-Built



L-216 MRP : ₹ 300.00

6W LED Hero Spot

Lumen : CW : 540

Dimensions : H=50, CO=90, OD=105

Packing Case : 50

Beam Angle : 36°



L-62R MRP : ₹ 340.00

2W LED Eye Ball Powerspot

Lumen : CW : 100

Packing Case : 40

Driver : AL-1



L-62R MRP : ₹ 370.00

2W LED Eye Ball Powerspot

Packing Case : 40

Driver : AL-1



3W 6W 7W 10W

DOWN
LIGHT
SPOT



Application Area :

Office Space, Conference Room, General Area, Reception, Home

IP20 Dust / Insect protected	CRI >80	PF >0.95	3KV Surge Protection	In-Built Driver	(100-350V) AC 50Hz	Colours Available CW (Cool White) NW (Neutral White) WW (Warm White)	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
------------------------------------	------------	-------------	----------------------------	--------------------	-----------------------	---	------------------------	-------------------	--------------------

TAURUS - Swivel Spot Light with 48 degree lens | Polycarbonate Housing | Adjustable Focus | Recessed Mounting


L-318 **MRP : ₹ 220.00** **NEW**
3W LED Taurus (Spot Light)
 Lumen : CW : 270
 Dimensions : H=40, CO=65, OD=75
 Packing Case : 50

Most Suitable for Concealed Box - 3.5"
L-320 **MRP : ₹ 350.00** **NEW**
7W LED Taurus (Spot Light)
 Lumen : CW : 600
 Dimensions : H=50, CO=88, OD=99
 Packing Case : 50

Fits into Deep Junction Box
L-322 **MRP : ₹ 260.00** **NEW**
3W LED Sunny COB
 Lumen : CW : 270
 Dimensions : H=36, CO=55,
 OD=70
 Packing Case : 50

UNO SPOT - Aluminium Housing | Adjustable Focus | LED 2835 | Recessed Mounting

L-212 **MRP : ₹ 650.00**
6W LED UNO Spot
 Lumen : CW : 540
 Packing Case : 20
 Beam Angle : 24°



L-214 **MRP : ₹ 770.00**
10W LED UNO Spot
 Lumen : CW : 900
 Packing Case : 12
 Beam Angle : 24°



4W 6W 10W 20W

DOWN LIGHT

OMEGA



Application Area :


Jewellery showrooms, Hotels, Restaurants, Fashion, Retail Stores

COB	Adjustable	Narrow Beam	IP 20 Dust / Insect protected	CRI > 80	PF > 0.95	3KV Surge Protection	(100-350V) AC 50Hz	Colours Available CW NW WW	All dimension in mm	Fluctuation Proof	2YEAR WARRANTY
-----	------------	-------------	----------------------------------	----------	-----------	----------------------	--------------------	-------------------------------	---------------------	-------------------	----------------

OMEGA - Tiltable Focus Downlight | Aluminum Housing | Diamond Cut reflector Recessed Downlight


L-162 MRP : ₹ 660.00

4W LED Omega COB
Lumen : CW : 280
Packing Case : 20
Driver : AL-11
Beam Angle : 24°




L-167 MRP : ₹ 1150.00

10W LED Omega COB
Lumen : CW : 660
Packing Case : 12
Driver : AL-41
Beam Angle : 24°




L-164 MRP : ₹ 880.00

6W LED Omega COB
Lumen : CW : 400
Packing Case : 20
Driver : AL-12
Beam Angle : 24°



L-168 MRP : ₹ 1720.00

20W LED Omega COB
Lumen : CW : 1360
Packing Case : 8
Driver : AL-81
Beam Angle : 38°



6W 10W 20W

DOWN
LIGHT
SOLITAIRE



Application Area :


Jewellery showrooms, Hotels, Restaurants, Fashion, Retail Stores

COB	Adjustable	Narrow Beam	IP20 Dust / Insect protected	CRI >80	PF >0.95	3KV Surge Protection	(100-350V) AC 50Hz	Colours Available CW WW W	All dimension in mm	Fluctuation Proof	2YEAR WARRANTY
-----	------------	-------------	---------------------------------	---------	----------	----------------------	--------------------	------------------------------	---------------------	-------------------	----------------

SOLITAIRE - Tiltable Focus Downlight | Aluminum Housing | Diamond Cut reflector Recessed Downlight


L-174 MRP : ₹ 880.00

6W LED Solitaire COB
Lumen : CW : 430
Packing Case : 20
Driver : AL-12
Beam Angle : 24°




L-178 MRP : ₹ 1150.00

10W LED Solitaire COB
Lumen : CW : 740
Packing Case : 12
Driver : AL-41
Beam Angle : 24°




L-176 MRP : ₹ 1550.00

10W LED Solitaire COB
Lumen : CW : 740
Packing Case : 12
Driver : AL-41
Beam Angle : 24°



L-169 MRP : ₹ 1720.00

20W LED Solitaire COB
Lumen : CW : 1420
Packing Case : 8
Driver : AL-81
Beam Angle : 45°



6W 12W 24W

DOWN LIGHT
SKY



Application Area :


Jewellery showrooms, Hotels, Restaurants, Fashion, Retail Stores

COB	Non Adjustable	Narrow Beam	IP 20 Dust / Insect protected	CRI > 80	PF > 0.95	3KV Surge Protection	(100-350V) AC 50Hz	Colours Available CW NW WW	All dimension in mm	Fluctuation Proof	2YEAR WARRANTY
-----	----------------	-------------	----------------------------------	----------	-----------	----------------------	--------------------	-------------------------------	---------------------	-------------------	----------------

SKY - Deep COB Downlight | Aluminum Housing | Diamond Cut reflector Recessed Downlight


L-303 MRP : ₹ 930.00

6W LED Sky COB
Lumen : CW : 400
Packing Case : 20
Driver : AL-12
Beam Angle : 24°




L-307 MRP : ₹ 2100.00

24W LED Sky COB
Lumen : CW : 1950
Packing Case : 8
Driver : AL-79
Beam Angle : 24°



L-305 MRP : ₹ 1370.00


12W LED Sky COB
Lumen : CW : 1120
Packing Case : 12
Driver : AL-44
Beam Angle : 24°



6W 15W 30W

DOWN LIGHT

SIGMA



Application Area :


Jewellery showrooms, Hotels, Restaurants, Fashion, Retail Stores

COB	Adjustable	Narrow Beam	IP20 Dust / Insect protected	CRI > 80	PF > 0.95	3KV Surge Protection	(100-350V) AC 50Hz	Colours Available CW NW WW	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
-----	------------	-------------	---------------------------------	----------	-----------	----------------------	--------------------	-------------------------------	---------------------	-------------------	-----------------

SIGMA - Deep COB Downlight | Adjustable Focus | Aluminum Housing Diamond Cut reflector | Recessed Downlight


L-315 MRP : ₹ 970.00

6W LED Sigma COB
Lumen : CW : 400
Packing Case : 20
Driver : AL-12
Beam Angle : 24°




L-317 MRP : ₹ 2300.00

30W LED Sigma COB
Lumen : CW : 2600
Packing Case : 8
Driver : AL-94
Beam Angle : 36°



L-316 MRP : ₹ 1600.00

15W LED Sigma COB
Lumen : CW : 1400
Packing Case : 12
Driver : AL-72
Beam Angle : 36°



10W 25W 30W

DOWN LIGHT
ZOOM



Application Area :


Jewellery showrooms, Hotels, Restaurants, Fashion, Retail Stores

COB	Non Adjustable	Narrow Beam	IP 20 Dust / Insect protected	CRI > 80	PF > 0.95	3KV Surge Protection	(100-350V) AC 50Hz	Colours Available CW NW WW	All dimension in mm	Fluctuation Proof	2YEAR WARRANTY
-----	----------------	-------------	----------------------------------	----------	-----------	----------------------	--------------------	-------------------------------	---------------------	-------------------	----------------

ZOOM - Zoom – Wallwasher COB downlight with 180 degree Zoom | Adjustable Focus Aluminum Housing | Diamond Cut reflector | Recessed Downlight


L-192 MRP : ₹ 2150.00

10W LED Zoom COB
Lumen : CW : 750
Packing Case : 8
Driver : AL-76
Beam Angle : 40°




L-197 MRP : ₹ 4950.00

35W LED Zoom COB
Lumen : CW : 2650
Packing Case : 8
Driver : AL-77
Beam Angle : 40°



L-195 MRP : ₹ 3900.00

25W LED Zoom COB
Lumen : CW : 1875
Packing Case : 8
Driver : AL-76
Beam Angle : 40°



10W 20W 35W

TRACK LIGHT
SOLITAIRE



Application Area :

Office Space, Conference Room, General Area, Reception, Home

COB	Adjustable	Narrow Beam 36°	IP 20 Dust / Insect protected	CRI >80	PF >0.95	3KV Surge Protection	In-Built Driver	(100-350V) AC 50HZ	Colours Available CW NW WW	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
-----	------------	--------------------	----------------------------------	---------	----------	----------------------	-----------------	--------------------	-------------------------------	---------------------	-------------------	-----------------

TRACK LIGHT - Track COB Spotlight - Adjustable to 360 degrees | Focus Spotlight Aluminum Housing | Black and White Body Colour | Track Channel Mounted

Available in White & Black Body

L-402 MRP : ₹ 1400.00


10W LED Track Light

Lumen : CW - 750

Packing Case : 12

Beam Angle : 24°

Black Body Cat No : L-409



L-404 MRP : ₹ 2400.00


20W LED Track Light

Lumen : CW - 1800

Packing Case : 6

Beam Angle : 36°

Black Body Cat No : L-408



L-406 MRP : ₹ 2800.00


35W LED Track Light

Lumen : CW - 2625

Packing Case : 6

Beam Angle : 36°

Black Body Cat No : L-407



Track Channel - Surface

L-149 MRP : ₹ 240.00

1/2M LED Track Channel

Size(mm) : L=500, B=42, H=20

Packing Case : As per order

L-148 MRP : ₹ 330.00

1M LED Track Channel

Size(mm) : L=1000, B=42, H=20

Packing Case : As per order

L-803 MRP : ₹ 600.00

2M LED Track Channel

Size(mm) : L=2000, B=42, H=20

Packing Case : As per order



1X20 2X20

BOX TYPE FITTING



Application Area :
Office, Shops, Super Markets



LED Box Type Fitting - Powder Coated Sheet Steel Fixture for LED Tube

L-410T MRP : ₹ 650.00
1X20W LED Box Type Fitting
Dimensions : H=30, L=1230
Packing Case : 10


L-412T MRP : ₹ 740.00
2X20W LED Box Type Fitting
Dimensions : H=40, L=1230
Packing Case : 10

Reflector For LED Box Type Fixture

RW-220 MRP : ₹ 600.00
2X20W LED Box Type Fitting
Dimensions : H=70, W=190, L=1226
Packing Case : 10

Gartex Reflector for LED Batten (With 3 Pin Connector)

L-413 MRP : ₹ 600.00
Gartex Reflector for LED Batten
Dimensions : H=70, W=190, L=1226
Packing Case : 10




LED Tube - With Aluminium Extrusion

L-32 MRP : ₹ 590.00
20W LED Tube - Aluminum
Lumen : CW : 2200
Packing Case : 10


LED Tube - With Polycarbonate Material

L-32 MRP : ₹ 430.00
20W LED Tube - Polycarbonate
Lumen : CW : 2200
Packing Case : 10



1X20 2X20

PROFILE
FITTING



Application Area :

Office Space, Conference Room, General Area, Reception, Home




PROFILE - Extruded Aluminum channel with diffuser for use with LED Striplight

MRP Without LED & Without Driver For 1 Meter
(Available in 1M / 2M / 3M)


L-1715 (R) MRP : ₹ 230.00

LED Profile - 17X15 mm
Mounting : Recessed
Used With : L-801, L-804, L-806
L-901, L-921
Packing Case : As per order




L-3535 (R) MRP : ₹ 550.00

LED Profile - 35X35 mm
Mounting : Recessed
Used With : L-804, L-807
Packing Case : As per order




L-1706 (R) MRP : ₹ 200.00

LED Profile - 17X06 mm
Mounting : Recessed
Used With : L-801, L-804, L-806
L-901, L-921
Packing Case : As per order




L-1010 (S) MRP : ₹ 220.00

LED Profile - 10X10 mm
Mounting : Surface
Used With : L-801, L-804, L-806
Packing Case : As per order




L-2010 (R) MRP : ₹ 230.00

LED Profile - 20X10 mm
Mounting : Recessed
Used With : L-801, L-804, L-807
Packing Case : As per order



L-1712 (S) MRP : ₹ 230.00

LED Profile - 17X12 mm
Mounting : Surface
Used With : L-801, L-804, L-806
Packing Case : As per order





Application Area :
General Area, Reception, Home, Bars



SPARKLE - 5 Metre Length LED Strip | 100% Copper wiring on flexible PCB | Superior Adhesive for Easy Installation

L-801 MRP : ₹ 570.00

LED Strip Light - 60 LED/mtr

Lumen : CW - 750

Power : 5W/Meter

Driver : AL-110 - MRP : 240.00



MRP does not include cost of power supply

L-804 MRP : ₹ 880.00

LED Strip Light - 120 LED/mtr

Lumen : CW - 1050

Power : 7.2W/Meter

Driver : AL-125 - MRP : 450.00



MRP does not include cost of power supply

L-806 MRP : ₹ 1320.00

LED Strip Light - 180 LED/mtr

Lumen : CW - 1500

Power : 12W/Meter

Driver : AL-114 - MRP : 600.00



(Suitable For Profile Lighting)

MRP does not include cost of power supply

L-808 MRP : ₹ 1600.00

LED Strip Light - 240 LED/mtr

Lumen : CW - 2000

Power : 18W/Meter

Driver : AL-127 - MRP : 900.00



(Suitable For Profile Lighting)

MRP does not include cost of power supply

Combo Pack - Sparkle Cove Lighting

L-810 MRP : ₹ 920.00

LED Strip Light - 60 LED/mtr

Lumen : CW - 750

Power : 5W/Meter

Driver : AL-110 - MRP : 240.00



MRP Includes cost of power supply




Application Area :
General Area, Reception, Home, Bars

5050 SMD	5 Meter Length	IP20 Dust / Insect protected	CRI >80	PF >0.95	4KV Surge Protection	(100-350V) AC 50Hz	Fluctuation Proof	2 YEAR WARRANTY
----------	----------------	------------------------------	---------	----------	----------------------	--------------------	-------------------	-----------------

TWINKLE - Twinkle- 5 Metre Length LED Strip | 100% Copper wiring on flexible PCB Superior Adhesive for Easy Installation

L-901 MRP : ₹ 650.00

LED Strip Light - 60 LED/mtr
Lumen : CW - 1200
Power : 12W/Meter
Driver : AL-114 - MRP : 600.00
○ ● ● ● ●
MRP Does not include cost of power supply




Combo Pack - RGB Color Changing

L-921 MRP : ₹ 1550.00

LED Strip Light - 30 LED/mtr with Controller & Driver
Colour : **RGB** - Color Changing
Power : 5W/Meter
Driver : AL-114 - MRP : 600.00
● ● ●
MRP includes cost of power supply





Application Area :
General Area, Reception, Home, Bars

2835 SMD	120 LED Per Meter	9W/M	IP66 Dust / Insect protected	WARRANTY 2 YEAR
-------------	----------------------	------	------------------------------------	--------------------

**ROPE LIGHT - AC LED Strip | 120 LED per metre | 24 Lumen LED for brighter output
Even Light spread with 120° degree viewing angle**

FESTIVA



L-953 MRP : ₹ 7600.00

LED Rope Light - Power : 400W (9W/Meter)

Colour : CW/WW/B/O/G

Length : 45 Meter

LED : SMD 2835 - 120 LED/mtr

MRP Include one set of AL-952

A.C. LED Strip Plug & Accessories

AL-952 MRP : ₹ 320.00

Rope Light A.C. Plug - 1N,

Connecting Pins-2N

End Caps - 2N, Clips - 4N

Power : Upto 450W



A.C. LED Strip Clamps Pack

AL-953 MRP : ₹ 350.00

Rope Light Clamps Pack of 100

Packing Case : 100



Tiranga



L-954 MRP : ₹ 1500.00

LED Rope Light - 54W (9W/Meter)

Colour : Orange-White-Green

Length : 6 Meter

LED : SMD 2835 - 120 LED/mtr

MRP Include one set of AL-952

Tiranga



L-955 MRP : ₹ 2200.00

LED Rope Light - 81W (9W/Meter)

Colour : Orange-White-Green

Length : 9 Meter

LED : SMD 2835 - 120 LED/mtr

MRP Include one set of AL-952

A.C. LED Strip Pin Pack

AL-954 MRP : ₹ 17.00

Rope Light 6mm Pin

Packing Case : As per order



4W 6W 12W

OUTDOOR LIGHT



Application Area : Outdoor Spaces, Garden

IP65 Dust / Insect protected	CRI >80	PF >0.95	4KV Surge Protection	In-Built Driver	(100-350V) AC 50Hz	Colours Available CW (CW) (NW) (WW)	All dimension in mm	Fluctuation Proof	SAFETY 2YEAR WARRANTY
---------------------------------	---------	----------	----------------------	-----------------	--------------------	--	---------------------	-------------------	-----------------------

OUTDOOR - Aluminium Housing | Powder Coated

Without Spike

L-272 MRP : ₹ 820.00

4W LED Garden Light

Lumen : CW - 180
Dimensions : H=75, OD=42
Packing Case : 20



Without Spike

L-272 MRP : ₹ 860.00

4W LED Garden Light

Packing Case : 20
Dimensions : H=75, OD=42



With Spike

L-272W MRP : ₹ 960.00

4W LED Garden Light

Lumen : CW - 180
Packing Case : 20



L-290 MRP : ₹ 1400.00

6W LED Marcus Updown Lighter

Lumen : CW - 420
Dimensions : L=80, W=92, H=38
Beam Angle : 60°
Packing Case : 20



L-277 MRP : ₹ 630.00

12W LED Cosmo Bulk Head

Lumen : CW - 1080
Dimensions : L=194, W=89
H=62
Packing Case : 20




With Spike

L-278 MRP : ₹ 1000.00

4W LED Garden Light

Packing Case : 20



7W 9W 10W 12W 20W 22W 24W

BATTEN

MARINA



Application Area :

Art Galleries, Hospitals, Museums, Offices, Showrooms, Restaurants, Retail



LED 2835



Non Adjustable



IP 20
Dust / Insect
protected



CRI
> 80



PF
> 0.95



4KV
Surge
Protection



In-Built
Driver



(100-350V)
AC 50Hz



Colours Available
CW WW



All dimension
in mm



Fluctuation Proof



5 YEAR
WARRANTY

**MARINA - LED Batten | Polycarbonate Extruded body with glare free diffuser
Surface Mounted**

L-142 MRP : ₹ 350.00

10W LED Marina Round
Lumen : CW : 1100
Dimensions : Length=562
Packing Case : 25

L-144 MRP : ₹ 430.00

20W LED Marina Round
Lumen : CW : 2200
Dimensions : Length=1100
Packing Case : 25

L-144 MRP : ₹ 480.00

20W LED Marina Round
Dimensions : Length=1100
Packing Case : 25
● ● ●

L-609 MRP : ₹ 450.00

22W LED Marina Round
Lumen : CW : 2400
Dimensions : Length=1185
Packing Case : 25

L-613 MRP : ₹ 210.00

7W LED Marina Square
Lumen : CW : 770
Dimensions : Length=207
Packing Case : 25

L-599 MRP : ₹ 320.00

9W LED Marina Square
Lumen : CW : 990
Dimensions : Length=311
Packing Case : 25

L-600 MRP : ₹ 360.00


12W LED Marina Square
Lumen : CW : 1320
Dimensions : Length=586
Packing Case : 25

L-617 MRP : ₹ 440.00

20W LED Marina Square
Lumen : CW : 2200
Dimensions : Length=1100
Packing Case : 25

L-602 MRP : ₹ 590.00

24W LED Marina Square
Lumen : CW : 3000
Dimensions : Length=1185
Packing Case : 25



Application Area :

Art Galleries, Hospitals, Museums, Offices, Showrooms, Restaurants, Retail



LED 2835



Non Adjustable



IP20
Dust / Insect
protected



CRI
> 80



PF
> 0.95



4KV
Surge
Protection



In-Built
Driver



(100-350V)
AC 50Hz



Colours Available
CW WW



All dimension
in mm



Fluctuation Proof



3 YEAR
WARRANTY

MARINA / DOLPHIN - LED Batten | Polycarbonate Extruded body with glare free diffuser Surface Mounted

L-140 MRP : ₹ 430.00

18W LED Marina Tulip
Lumen : CW : 2000
Dimensions : Length=610
Packing Case : 25

L-605 MRP : ₹ 760.00


36W LED Marina Tulip
Lumen : CW : 5000
Dimensions : Length=1185
Packing Case : 25

L-618 MRP : ₹ 710.00

20W LED Dolphin Light
Lumen : CW : 2400
Dimensions : Length=620
Packing Case : 10


L-619 MRP : ₹ 1050.00

40W LED Dolphin Light
Lumen : CW : 5000
Dimensions : Length=1175
Packing Case : 25



24W 48W

LINEAR
LIGHT



Application Area :

Art Galleries, Hospitals, Museums, Offices, Showrooms, Restaurants, Retail



LED 2835



Non Adjustable



IP20
Dust / Insect
protected



CRI
>80



PF
>0.95



4KV
Surge
Protection



In-Built
Driver



(100-350V)
AC 50Hz



Colours Available
CW WW



All dimension
in mm



Fluctuation Proof



3 YEAR
WARRANTY

LINEAR - Metal Housing with glare free diffuser | High Lumen High performance Surface Mounted

L-611 MRP : ₹ 1000.00

24W LED Linear Light
Lumen : CW : 2600
Dimensions : Length=625
Packing Case : 10

L-608 MRP : ₹ 1680.00

48W LED Linear Light
Lumen : CW : 5200
Dimensions : Length=1200
Packing Case : 25



LED BULBS

Classic Bulb

IP20



Cat No	Power	Colour	Lamp Holder	Lumen (lm)	Packing Case	MRP
GL-0.5	0.5W	CW/R/G/B/O/Y	B22	-	200	₹ 75/-
GL-3	3W	CW/WW	B22, E27	300	50	₹ 130/-
GL-5	5W	CW/WW	B22, E27	500	50	₹ 140/-
GL-7	7W	CW/WW	B22, E27	650	100	₹ 130/-
GL-9	9W	CW/WW	B22, E27	850	100	₹ 150/-

Coloured Bulb

IP20



Cat No	Power	Colour	Lamp Holder	Packing Case	MRP
CB-3R,G,B,Y	3W	R/G/B/Y	B22, E27	50	₹ 160/-



Candle Milky Bulb

IP20

Cat No	Power	Colour	Lamp Holder	Lumen (lm)	Packing Case	MRP
CLM-3	3W	CW/WW	B22, E27, E14	300	100	₹ 220/-

Standard Bulb

IP20



Cat No	Power	Colour	Lamp Holder	Lumen (lm)	Packing Case	MRP
SL-12	12W	CW/WW	B22, E27	1200	50	₹ 210/-
SL-15	15W	CW/WW	B22, E27	1400	50	₹ 295/-
SL-26	26W	CW/WW	B22, E27	2600	30	₹ 690/-

Jumbo Bulb

IP20



Cat No	Power	Colour	Lamp Holder	Lumen (lm)	Packing Case	MRP
JL-23	23W	CW/WW	B22, E27	2250	30	₹ 610/-
JL-30	30W	CW/WW	B22, E27	3000	20	₹ 875/-
JL-40	40W	CW/WW	B22, E27	4200	20	₹ 1090/-

NEO MR16 LED LAMP

Neo LED Lamp (MR16) - Recessed

IP20



Cat No	Power	Colour	Ring Colour	Beam Angle	Lumen (lm)	Packing Case	Driver	MRP
L-87	5W	CW/WW	Equivalent to 35W Halogen	24°	400	20	In-Built	₹ 160/-

DRIVERS

CONSTANT CURRENT DRIVER

IP65



Cat No	Power	Constant Current Output	Output Voltage	Dimensions (mm)	MRP
AL-99	25/32W	600mA	36-44V	L=83, B=68, H=37	₹ 600/-
AL-95	45/50W	1500mA	27-36V	L=137, B=42, H=30	₹ 600/-
AL-100	30W	900mA	24-36V	L=120, B=42, H=30	₹ 600/-
AL-96	80W	2600mA	24-36V	L=161, B=56, H=34	₹ 1600/-
AL-80	45W	600mA	68-78V	L=83, B=68, H=35	₹ 600/-
AL-84	60W	600mA	84-90V	L=83, B=68, H=35	₹ 650/-
AL-85	30W	800mA	34-44V	L=137, B=54, H=37	₹ 600/-
AL-86	72W	700mA	90V	L=83, B=68, H=35	₹ 700/-
AL-87	30W	850mA	34-44V	L=83, B=68, H=35	₹ 600/-
AL-83	36W	500mA	72V	L=83, B=68, H=35	₹ 600/-
AL-88	30W	650mA	36V	L=110, B=42, H=23	₹ 600/-
AL-77	35W	700mA	44-50V	L=110, B=42, H=23	₹ 600/-
AL-90	60W	600mA	84-96V	L=110, B=42, H=23	₹ 600/-
AL-89	45W	600mA	68-78V	L=110, B=42, H=23	₹ 600/-

POWER SUPPLY FOR LED STRIP LIGHT

IP20



Cat No	Power	Output Current	Constant Voltage Output	Dimensions (mm)	MRP
AL-115	9W	750mA	11-13V	L=43, B=40, H=27	₹ 160/-
AL-110	18W	1.5A	11-13V	L=112, B=42, H=27	₹ 240/-
AL-125	36W	3A (Sleek)	11-13V	L=250, B=17, H=18	₹ 450/-
AL-114	60W	5A	11-13V	L=140, B=48, H=28	₹ 600/-
AL-127	120W	10A	11-13V	L=170, B=53, H=23	₹ 900/-
AL-122	144W	12A	11-13V	L=223, B=67, H=40	₹ 1200/-



DRIVERS

CONSTANT CURRENT DRIVER

IP20



Cat No	Power	Constant Current Output	Output Voltage	Dimensions (mm)	MRP
AL-1	1W	300mA	2-5V	L=35, B=21, H=20	₹ 120/-
AL-3	2W	150mA	6V	L=35, B=21, H=20	₹ 120/-
AL-11	3/6W	350mA	11-15V	L=43, B=40, H=27	₹ 160/-
AL-12	6W	150mA	36V	L=43, B=40, H=27	₹ 160/-
AL-13	4W	300mA	9-12V	L=45, B=25, H=24	₹ 160/-
AL-23	5/7W	450mA	11-15V	L=43, B=40, H=27	₹ 160/-
AL-41	9/12W	240mA	34-44V	L=88, B=38, H=22	₹ 240/-
AL-39	9W	220mA	34-44V	L=43, B=40, H=27	₹ 240/-
AL-40	10W	300mA	34-44V	L=43, B=40, H=27	₹ 240/-
AL-45	5/7W	420mA	11-12V	L=88, B=38, H=22	₹ 160/-
AL-44	11/12W	300mA	34-44V	L=88, B=38, H=22	₹ 240/-
AL-81	20W	450mA	34-44V	L=110, B=42, H=23	₹ 400/-
AL-72	15/17W	390mA	34-44V	L=110, B=42, H=23	₹ 350/-
AL-75	15/17W	390mA	34-44V	L=88, B=38, H=22	₹ 350/-
AL-82	18/22W	520mA	34-44V	L=110, B=42, H=23	₹ 400/-
AL-92	30W	630mA	40-50V	L=137, B=54, H=37	₹ 600/-
AL-77	35W	850mA	34-44V	L=137, B=54, H=37	₹ 600/-
AL-93	40W	770mA	44-50V	L=137, B=54, H=37	₹ 600/-
AL-94	30W	700mA	34-44V	L=137, B=54, H=37	₹ 600/-
AL-98	20W	600mA	24-36V	L=88, B=37, H=23	₹ 400/-
AL-79	24W	560mA	34-44V	L=110, B=42, H=23	₹ 600/-
AL-76	25W	600mA	34-44V	L=137, B=54, H=37	₹ 600/-
AL-73	30W	680mA	34-48V	L=137, B=54, H=37	₹ 600/-
AL-74	30W	560mA	24-48V	L=137, B=54, H=37	₹ 600/-
AL-124	40W	380mA	90-99V	L=88, B=38, H=22	₹ 400/-

22W 30W 60W 80W

MATRIX

ARMSTRONG



Application Area :

Art Galleries, Hospitals, Museums, Offices, Residential, Restaurants, Retail

LED 2835	Non Adjustable	Very Wide Beam	Ceiling Thickness	IP 20 Dust / Insect protected	CRI > 80	PF > 0.95	3KV Surge Protection	(100-350V) AC 50Hz	Colours Available CW NW WW	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY

Matrix- CRCA powder coated white Body after Anti-rust Treatment | Highly Translucent diffuser for glare free symmetric light distribution | High performance LED Driver with short circuit protection | Recessed mounted

L-287A MRP : ₹ 4900.00

60W LED Matrix - (2'x2')

Lumen : CW : 7800

Packing Case : 2

Driver : AL-92

595X595



L-288A MRP : ₹ 5200.00

80W LED Matrix - (2'x2')

Lumen : CW : 8500

Packing Case : 2

Driver : AL-93

595X595



Matrix Armstrong (Ultra)

L-387A MRP : ₹ 2800.00

40W LED Matrix Armstrong (Ultra) - (2'x2')

Lumen : CW : 5200

Packing Case : 2

Driver : AL-124

595X595



Matrix Sleek

L-388A MRP : ₹ 2800.00

40W LED Matrix Sleek - (2'x2')

Lumen : CW : 5200

Packing Case : 2

Driver : AL-124

596X596



NEW

40W 60W 80W

MATRIX

POP



Application Area :

Art Galleries, Hospitals, Museums, Offices, Residential, Restaurants, Retail

LED 2835	Non Adjustable	Very Wide Beam	Ceiling Thickness	IP 20 Dust / Insect protected	CRI > 80	PF > 0.95	3KV Surge Protection	(100-350V) AC 50Hz	Colours Available CW, NW, WW	All dimension in mm	Fluctuation Proof	WARRANTY 2 YEAR

Matrix - CRCA powder coated white Body after Anti-rust Treatment | Highly Translucent diffuser for glare free symmetric light distribution | High performance LED Driver with short circuit protection | Recessed mounted

L-287B **MRP : ₹ 5300.00**

60W LED Matrix POP - (2'x2')

Lumen : CW : 7800

Packing Case : 2

Driver : AL-92




L-281 **MRP : ₹ 2400.00**

22W LED Matrix - (1'x1')

Lumen : CW : 2860

Packing Case : 4

Driver : AL-82



L-288B **MRP : ₹ 5600.00**

80W LED Matrix POP - (2'x2')

Lumen : CW : 8500

Packing Case : 2

Driver : AL-93



L-282 **MRP : ₹ 2900.00**

30W LED Matrix - (1'x1')

Lumen : CW : 3600

Packing Case : 4

Driver : AL-94



Matrix POP (Ultra)

L-387B **MRP : ₹ 3200.00** NEW

40W LED Matrix POP/Gypsum (Ultra) - (2'x2')

Lumen : CW : 5200

Packing Case : 2

Driver : AL-124



L-283 **MRP : ₹ 3200.00**

30W LED Matrix - (1'x2')

Lumen : CW : 3600

Packing Case : 4

Driver : AL-92



22W 30W 60W

LUMINO

SURFACE



Application Area :

Art Galleries, Hospitals, Museums, Offices, Residential, Restaurants, Retail

--	--	--	--	--	--	--	--	--	--	--	--

LUMINO - CRCA powder coated white Body after Anti-rust Treatment | Highly Translucent diffuser for glare free symmetric light distribution | High performance LED Driver with short circuit protection | Surface mounted

L-107 **MRP : ₹ 2400.00**

22W LED Lumino Surface - (1'x1')
 Lumen : CW : 2860
 Packing Case : 4
 Driver : AL-82

50:

L-112 **MRP : ₹ 5000.00**

60W LED Lumino Surface - (2'x2')
 Lumen : CW : 8500
 Packing Case : 2
 Driver : AL-92

52:

L-108 **MRP : ₹ 2900.00**

30W LED Lumino Surface - (1'x1')
 Lumen : CW : 3600
 Packing Case : 4
 Driver : AL-94

50:

Lumino Surface (Ultra)

L-119 **MRP : ₹ 3700.00**

40W LED Lumino Surface (Ultra) - (2'x2')
 Lumen : CW : 5200
 Packing Case : 2
 Driver : AL-124

52:

50W 100W 150W 200W

FLOOD LIGHT

NEPTUNE




Application Area :
Facade, Monuments, Hoarding, Sports Complexes

LED 2835	Adjustable	Wide Beam	IP 66 Dust / Insect protected	CRI > 80	PF > 0.95	10KV Surge Protection	(100-350V) AC 50Hz	Colours Available CW WW	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
----------	------------	-----------	----------------------------------	----------	-----------	-----------------------	--------------------	----------------------------	---------------------	-------------------	-----------------

NEPTUNE - Epoxy powder coated die-cast aluminium housing | Alloy with toughened Glass | Withstands upto 450V AC | Isolated Potted IP67 electronic LED driver with APFC, lower THD, Open Circuit Protection, Over Voltage Protection, Surge Voltage Protection upto 10kV With Built In SPD & other safety test | High Voltage cut-off at 320V


L-554 **MRP : ₹ 2500.00**

50W LED Neptune Flood Light
Lumen : CW : 5500
Packing Case : 4
Driver : AL-84




L-512 **MRP : ₹ 6560.00**

150W LED Neptune Flood Light
Lumen : CW : 14000
Packing Case : 4
Driver : AL-84X2




L-505 **MRP : ₹ 4400.00**

100W LED Neptune Flood Light
Lumen : CW : 11000
Packing Case : 4
Driver : AL-84X2



L-514 **MRP : ₹ 8800.00**

200W LED Neptune Flood Light
Lumen : CW : 18000
Packing Case : 4
Driver : AL-84X3



35W 60W

FLOOD LIGHT

OPTICO




Application Area :
Facade, Monuments, Hoarding, Sports Complexes

LED 2835	Adjustable	Wide Beam	IP66 Dust / Insect protected	CRI >80	PF >0.95	10KV Surge Protection	(100-350V) AC 50Hz	Colours Available CW WW	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
----------	------------	-----------	---------------------------------	---------	----------	-----------------------	--------------------	----------------------------	---------------------	-------------------	-----------------

OPTICO - Non-Corrosive powder coated die-cast aluminium housing | PC Lens with Asymmetric/symmetric light distribution | Withstands upto 450V AC| Isolated Potted IP67 electronic LED driver with APFC, lower THD, Open Circuit Protection, Over Voltage Protection, Surge Voltage Protection upto 10kV With Built In SPD & other safety test | High Voltage cut-off at 320V


L-520 MRP : ₹ 2500.00 NEW

35W LED Optico Flood Light
Lumen : CW : 4000
Packing Case : 10
Driver : AL-77



L-522 MRP : ₹ 3100.00 NEW


60W LED Optico Flood Light
Lumen : CW : 7000
Packing Case : 10
Driver : AL-90



Color Changing With Remote

L-138 MRP : ₹ 1250.00

10W LED Sapphire Flood Light
Packing Case : 12



12W 30W 50W

FLOOD LIGHT

JET




Application Area :
Facade, Monuments, Hoarding, Sports Complexes

LED 2835	Adjustable	Wide Beam	IP 66 Dust / Insect protected	CRI > 80	PF > 0.95	10KV Surge Protection	(100-350V) AC 50Hz	Colours Available CW WW	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
----------	------------	-----------	----------------------------------	----------	-----------	--------------------------	-----------------------	----------------------------	------------------------	-------------------	--------------------

JET - Non-Corrosive powder coated die-cast aluminium housing| Alloy with toughened Glass|Withstand upto 450V AC| Built-in electronic LED driver with APFC, lower THD, Open Circuit Protection, Over Voltage Protection, Surge Voltage Protection upto 10kV With Built In SPD & other safety test| High Voltage cut-off at 320V


L-429 **MRP : ₹ 1155.00**

12W LED Jet Flood Light
Lumen : CW : 1560
Packing Case : 12




L-431 **MRP : ₹ 1650.00**

30W LED Jet Flood Light
Lumen : CW : 3900
Packing Case : 6



L-432 **MRP : ₹ 1900.00**

50W LED Jet Flood Light
Lumen : CW : 6500
Packing Case : 6



100W

HIGHBAY LIGHT
UFO



Application Area :
Facade, Monuments, Hoarding, Sports Complexes

LED 2835	Non Adjustable	Wide Beam	IP 66 Dust / Insect protected	CRI > 80	PF > 0.95	10KV Surge Protection	(100-350V) AC 50Hz	Colours Available CW WW	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
----------	----------------	-----------	----------------------------------	----------	-----------	-----------------------	--------------------	----------------------------	---------------------	-------------------	-----------------


HIGHBAY UFO - Aluminum alloy pressure die casted housing & control gear box for better heat dissipation | High Quality lens for optimum light distribution | Built In electronic driver with APFC, lower THD, Open Circuit Protection, Surge Voltage Protection upto 10 kV with Built In SPD

L-914 MRP : ₹ 5600.00

100W LED Highbay UFO Light
Lumen : CW : 12500
Dimensions : H=138, Dia=253
Packing Case : 4
Driver : AL-96

L-130 MRP : ₹ 1000.00

10W LED Flood Light
Lumen : CW : 700
Packing Case : 12
Driver : AL-40



15W 20W 25W 30W 45W

STREET LIGHT
CAPSULE




Application Area :
Facade, Monuments, Hoarding, Sports Complexes

LED 2835	Non Adjustable	Wide Beam	IP 66 Dust / Insect protected	CRI > 80	PF > 0.95	10KV Surge Protection	(100-350V) AC 50Hz	Colours Available CW WW	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
----------	----------------	-----------	----------------------------------	----------	-----------	-----------------------	--------------------	----------------------------	---------------------	-------------------	-----------------

CAPSULE - Pressure die-cast aluminium alloy housing | Polyester powder coated grey finish with anti corrosion treatment | Withstands upto 450V AC | Isolated Potted IP67 electronic LED driver with APFC, lower THD, Open Circuit Protection, Over Voltage Protection, Surge Voltage Protection upto 10kV With Built In SPD & other safety test | High Voltage cut-off at 320V | Pole Mounting with Arm dia of 45mm(max)


L-278 MRP : ₹ 1650.00

15W LED Capsule Street Light
Lumen : CW : 1500
Packing Case : 8
Driver : AL-99




L-291 MRP : ₹ 1980.00

30W LED Capsule Street Light
Lumen : CW : 3000
Packing Case : 8
Driver : AL-85




L-279 MRP : ₹ 1760.00

20W LED Capsule Street Light
Lumen : CW : 2000
Packing Case : 8
Driver : AL-81




L-293 MRP : ₹ 2500.00

45W LED Capsule Street Light
Lumen : CW : 5400
Packing Case : 8
Driver : AL-89



L-280 MRP : ₹ 1870.00

25W LED Capsule Street Light
Lumen : CW : 2500
Packing Case : 8
Driver : AL-82



25W 30W 45W 60W 72W 90W

100W 120W 150W 180W 200W



Application Area :
Facade, Monuments, Hoarding, Sports Complexes



LED 2835



Non Adjustable



Wide Beam



IP 66
Dust / Insect protected



CRI >80



PF >0.95



10KV Surge Protection




(100-350V) AC 50Hz



Colours Available
CW WW



All dimension in mm



Fluctuation Proof



2YEAR WARRANTY

ECOLINE BETA - Pressure die-cast aluminium alloy housing | Polyester powder coated grey finish with anti corrosion treatment | Withstands upto 450V AC | Isolated Potted IP67 electronic LED driver with APFC, lower THD, Open Circuit Protection, Over Voltage Protection, Surge Voltage Protection upto 10kV With Built In SPD & other safety test | High Voltage cut-off at 320V | Pole Mounting with Arm dia of 45mm(max)

Cat No	Power	Colour	Dimensions (mm)	Lumen (lm)	Packing Case	Driver	MRP
L-254B	25W	CW/WW	H=60, L=340, B=105	2500	4	AL-99	₹ 2310/-
L-257B	30W	CW/WW	H=60, L=340, B=105	3000	4	AL-87	₹ 2420/-
L-260B	45W	CW/WW	H=57, L=387, B=146	5400	4	AL-80	₹ 2970/-
L-461B	60W	CW/WW	H=57, L=387, B=146	6000	4	AL-84	₹ 3300/-
L-420B	72W	CW/WW	H=62, L=452, B=212	7500	4	AL-86X2	₹ 5590/-
L-417B	90W	CW/WW	H=62, L=452, B=212	9500	4	AL-80X2	₹ 5830/-
L-428B	100W	CW/WW	H=82, L=452, B=212	11000	4	AL-84X2	₹ 6050/-
L-418B	120W	CW/WW	H=82, L=452, B=212	12000	4	AL-84X2	₹ 6270/-
L-419B	150W	CW/WW	H=67, L=518, B=343	15000	4	AL-80X3	₹ 10560/-
L-422B	180W	CW/WW	H=67, L=518, B=343	18000	4	AL-84X3	₹ 11440/-
L-426B	200W	CW/WW	H=67, L=518, B=343	20000	4	AL-80X4	₹ 11880/-

25W 30W 100W

STREET LIGHT

BETA-SENSOR



Application Area :
Facade, Monuments, Hoarding, Sports Complexes


LED 2835	Non Adjustable	Wide Beam	IP 66 Dust / Insect protected	CRI > 80	PF > 0.95	10KV Surge Protection	(100-350V) AC 50Hz	Colours Available CW WW	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
----------	----------------	-----------	----------------------------------	----------	-----------	-----------------------	--------------------	----------------------------	---------------------	-------------------	-----------------

BETA SENSOR - Pressure die-cast aluminium alloy housing | Polyester powder coated grey finish with anti corrosion treatment| Withstands upto 450V AC| Insolated Potted IP67 electronic LED driver with APFC, lower THD, Open Circuit Protection, Over Voltage Protection, Surge Voltage Protection upto 10kV With Built In SPD & other safety test| High Voltage cut-off at 320V | Pole Mounting with Arm dia of 45mm(max)

Automatic Day/Night Sensor for ON/Off Based on Ambient Light


L-255BS MRP : ₹ 2910.00

25W LED Sensor Street Light
Lumen : CW : 2500
Packing Case : 4
Driver : AL-99




L-429BS MRP : ₹ 6650.00

100W LED Sensor Street Light
Lumen : CW : 11000
Packing Case : 4
Driver : AL-80X2



L-261BS MRP : ₹ 3570.00

45W LED Sensor Street Light
Lumen : CW : 5400
Packing Case : 4
Driver : AL-80





- 25W
- 45W
- 60W
- 72W
- 90W
- 100W
- 120W
- 150W
- 180W
- 200W

STREET LIGHT
STELLAR



Application Area :
Facade, Monuments, Hoarding, Sports Complexes

- LED 2835
- Non Adjustable
- Wide Beam
- IP 66
Dust / Insect protected
- CRI > 80
- PF > 0.95
- 10KV
Surge Protection
- (100-350V)
AC 50Hz
- Colours Available
CW WW
- All dimension
in mm
- Fluctuation Proof
- 2 YEAR
WARRANTY

STELLAR - Pressure die-cast aluminium alloy housing | Polyester powder coated grey finish with anti corrosion treatment| High efficiency polycarbonate UV stablized cover with integrated Lens to ensure Asymmetrical batwing light distribution Withstands upto 450V AC| Isolated Potted IP67 electronic LED driver with APFC, lower THD, Open Circuit Protection, Over Voltage Protection, Surge Voltage Protection upto 10kV With Built In SPD & other safety test| High Voltage cut-off at 320V | Pole Mounting with Arm dia of 45mm(max)

Cat No	Power	Colour	Dimensions (mm)	Lumen (lm)	Packing Case	Driver	MRP
L-353	25W	CW/WW	H=60, L=340, B=105	2500	4	AL-99	₹ 2970/-
L-355	45W	CW/WW	H=57, L=387, B=146	5400	4	AL-80	₹ 4070/-
L-357	60W	CW/WW	H=57, L=387, B=146	6000	4	AL-84	₹ 4290/-
L-359	72W	CW/WW	H=62, L=452, B=212	7500	4	AL-86X2	₹ 7920/-
L-362	90W	CW/WW	H=62, L=452, B=212	9500	4	AL-80X2	₹ 8250/-
L-364	100W	CW/WW	H=62, L=452, B=212	11000	4	AL-84X2	₹ 8580/-
L-365	120W	CW/WW	H=82, L=452, B=212	12000	4	AL-84X2	₹ 8910/-
L-366	150W	CW/WW	H=67, L=518, B=343	15000	4	AL-80X3	₹ 15,400/-
L-368	180W	CW/WW	H=67, L=518, B=343	18000	4	AL-84X3	₹ 15,950/-
L-370	200W	CW/WW	H=67, L=518, B=343	20000	4	AL-84X4	₹ 16,500/-

30W 50W 100W

STREET LIGHT

LANSER



Application Area :
Facade, Monuments, Hoarding, Sports Complexes


LED 2835	Non Adjustable	Wide Beam	IP 66 Dust / Insect protected	CRI >80	PF >0.95	10KV Surge Protection	(100-350V) AC 50Hz	Colours Available CW WW	All dimension in mm	Fluctuation Proof	2 YEAR WARRANTY
----------	----------------	-----------	----------------------------------	---------	----------	-----------------------	--------------------	----------------------------	---------------------	-------------------	-----------------

LANSER - Pressure die-cast aluminium alloy housing | Polyester powder coated grey finish with anti corrosion treatment | High efficiency polycarbonate UV stablized cover with integrated Lens to ensure Asymmetrical batwing light distribution Withstands upto 450V AC | Isolated Potted IP67 electronic LED driver with APFC, lower THD, Open Circuit Protection, Over Voltage Protection, Surge Voltage Protection upto 10kV With Built In SPD & other safety test | High Voltage cut-off at 320V Pole Mounting with Arm dia of 45mm(max)

L-436L MRP : ₹ 2200.00

30W LED Lanser Street Light
Lumen : CW : 3000
Packing Case : 4
Driver : AL-87


NEW



L-438L MRP : ₹ 3800.00

100W LED Lanser Street Light
Lumen : CW : 10000
Packing Case : 4
Driver : AL-90X2


NEW



L-437L MRP : ₹ 2600.00

50W LED Lanser Street Light
Lumen : CW : 2600
Packing Case : 4
Driver : AL-90

NEW



Note : Available with Automatic Day / Night Sensor at Rs.600.00 Extra

Available on Request



Aero Series LED Panel Round - Recessed : Polycarbonate Housing

IP20

Cat No	Power	Colour	Dimensions (mm)	Lumen (lm)	Packing Case	Driver	MRP
L-120	6W	CW/NW/WW	H=23, CO=100, OD=120	480	40	In-Built	₹ 400/-
L-122	10W	CW/NW/WW	H=23, CO=127, OD=145	800	40	In-Built	₹ 580/-
L-725	15W	CW/NW/WW	H=23, CO=155, OD=170	1200	40	In-Built	₹ 700/-

IP20



Aero Series LED Panel Square - Recessed : Polycarbonate Housing

L-123	6W	CW/NW/WW	H=23, CO=100X100, OD=120X120	480	40	In-Built	₹ 400/-
L-121	10W	CW/NW/WW	H=23, CO=127X127, OD=145X145	800	40	In-Built	₹ 580/-
L-726	15W	CW/NW/WW	H=23, CO=155X155, OD=170X170	1200	40	In-Built	₹ 700/-



LED Matrix - Recessed : Powder Coated Sheet Steel For Armstrong Ceiling

IP20

L-286A	40W	(2x2')	H=67, CO=580X580, OD=595X595	5200	2	AL-93	₹ 3400/-
--------	-----	--------	------------------------------	------	---	-------	----------

Available in CW/NW/WW



LED Matrix - Recessed : Powder Coated Sheet Steel For POP/Gypsum Ceiling

IP20

L-286B	40W	(2x2')	H=67, CO=580X580, OD=595X595	5200	2	AL-93	₹ 3800/-
--------	-----	--------	------------------------------	------	---	-------	----------

Available in CW/NW/WW



LED Lumino - Surface : Powder Coated Sheet Steel Fixture

IP20

L-114	40W	(2x2')	H=52, OD=560X560	5200	2	AL-93	₹ 3900/-
-------	-----	--------	------------------	------	---	-------	----------

Available in CW/NW/WW



Carbon LED COB Downlight - Recessed

IP20

Cat No	Power	Colour	Dimensions (mm)	Beam Angle	Lumen (lm)	Packing Case	Driver	MRP
L-309	6W	CW/NW/WW	H=82, CO=75, OD=83	24°	430	20	AL-23	₹ 600/-



Zen LED COB Downlight - Recessed

IP20

Cat No	Power	Colour	Dimensions (mm)	Beam Angle	Lumen (lm)	Packing Case	Driver	MRP
L-194A	15W	CW/NW/WW	H=114, CO=82, OD=90	24°	1200	8	AL-72	₹ 1650/-



LED COB Gem Light - Surface Mounted

IP20

Cat No	Watt	Colour	Dimensions (mm)	Beam Angle	Lumen (lm)	Packing Case	MRP
L-190	10W	CW/NW/WW	L=150, OD=58	24°	750	12	₹ 1000/-



Twinkle 5050 LED Strip Light - DC 12V, 60 LED/mtr - Water Proof

IP65

Cat No	Power	Length	Colour	LED	Lumen (lm/mtr)	Driver	MRP
L-915	12W/Meter	5 Meter	CW/NW/WW	SMD 5050-60 LED/mtr	1200	AL-116	₹ 1000/-

MRP Does not include cost of Power Supply



Lyra LED Updown Lighter - Dust Proof & Water Proof

IP66

Cat No	Power	Colour	Dimensions	Beam Angle	Lumen (lm)	Packing Case	MRP
L-295	8W	CW/NW/WW	L=160, W=105, H=95	80°	560	12	₹ 1840/-



LED Hero Downlight - Recessed : Aluminium Housing

IP20

Cat No	Power	Colour	Dimensions	Lumen (lm)	Packing Case	Driver	MRP
L-184	10W	CW/NW/WW	H=55, CO=99, OD=114	900	20	AL-44	₹ 700/-

General Notes:

- This Price List is effective from 1st September 2022
- Every effort has been made to ensure accuracy in compilation of technical/commercial detail in this catalog
- Specifications and performance data are constantly changing; current details should therefore be checked with the company
- Input Voltage : 165V-300V AC 50Hz
- CRI> 80 of Cool White Colour
- All fittings can operate from 100V to 300V
- Colour : Cool White- 6000K - 6500K
- Neutral White- 4000K - 4200K
- Warm White- 2800K-3000K
- M.R.P is inclusive of all taxes
- M.R.P is inclusive of electronic driver
- All lumens are system lumens.
- All wattages are system wattages.
- All dimensions are in mm
- H=Height, CO=Cutout, OD=Outer Dimensions, L=Length, B=Breadth
- CW=Cool White, NW=Neutral White, WW=Warm White, WH=White, BS=Brush Steel, W=White, R=Red, Y=Yellow, B=Blue, G=Green, P=Purple
- LED Premium Panel, Android Panel, Aero Panel, Junction Box, Smart Hero, COB, Matrix are "BIS APPROVED" (IS 10322 (Part 5/Sec-2):2012, R-93006610)
- LED Marina, Linear Light, Tube, Surface Panel, Luna Ceiling Light, Zara, Lumino are "BIS APPROVED" (IS 10322 (Part 5/Sec-1):2012, R-93000949)
- LED Flood Light, Bulk Head "BIS APPROVED" (IS 10322 (Part 5/Sec-5):2013, R-93006335)
- LED Street Light "BIS APPROVED" (IS 10322 (Part 5/Sec-3):2012, R-93005894)
- LED Driver :- Constant Current LED Driver are "BIS APPROVED" (IS 15885 (Part 2/Sec-13):2012, R-85002062)
- LED Bulbs are "BIS APPROVED" (IS 16102 (Part 1):2012, R-85000418)
- Strip Light IP20 "BIS APPROVED" (IS 10322 (Part 5/Sec-7):2017, R-93009792)
- Rope Light (A.C. Strip) "BIS APPROVED" (IS 10322 (Part 5/Sec-7):2017, R-41115681)
- Junction Box : Cat No. 0.5W, JB-3W, JB-3R, JB-3B, JB-3G, JB-3Y are Patented. Patent No: 284408

HSN No.	Description
9405	LED Luminaires
9405	LED Drivers
8539	LED Bulbs / Lamps
IP20	Protected from touch by objects greater than 12 millimeters - Not protected from liquids
IP65	(Protected from total dust ingress) - Protected from low pressure water jets from any direction
IP66	(Protected from total dust ingress) - Protected from high pressure water jets from any direction
IP67	(Protected from total dust ingress) - Protected from immersion between 15 centimeters and 1 meter in depth

Our Energy Saving products are approved & regularly used by the following esteemed Organisations of India.



CAPTAIN GEARS & FANS

B-84 Sector 80, Phase II Noida - 201305 (U.P.)

Call us : 9810145540

Email : compact@compactlighting.net, Web : www.compactlighting.net

Authorized Dealer