




Exclusive Range of Architectural Lights



LED Gold Catalogue

w.e.f. 1st September 2023

“ तमसो मा ज्योतिर्गमय ” - Leading from darkness to light

COMPACT symbolises a professional enterprise synonymous with lighting. We are one of the largest brand manufacturers in India with more than 40000 Sq ft space dedicated to lighting.

COMPACT has always been a trendsetter in the Lighting industry. With more than 6 design patents, our biggest strength is our ability to develop electric lighting solutions tailor-made to Indian power conditions.

Our smart factory incorporates the best practices of automated manufacturing systems with more than 6 dedicated lines. Our in-house SMT (Surface Mounting Technology) Plant gives us a deep foundation in Electronic Manufacturing Systems(EMS). With full backward integration like our own Extrusion machines, we are dedicated towards local manufacturing with “Made in India” LED lights not just assembled in India.

Our large product portfolio covers the entire spectrum of consumer lighting needs, both domestic and commercial. We have always believed in offering our customers superior quality products delivering optimum value. Our strong network presence in more than 10 states in India helps us touch more than 5000 retail points across the country.

With best in class after sales service, we stand by the guarantees offered on our products. COMPACT is a hallmark of trust and we truly cherish the faith that our customers have reposed in us.

We stand strong today and wish to thank millions of our customers whose life we have touched in a small way. Bringing light to your life, we stand committed to our core values of Honesty, Sincerity and Trust.



Polycarbonate Extrusion Machine



Printer



SMD Pick & Place



Reflow Oven



LED Driver Aging

Table of Contents

1-8 Magnetic Series



9-11 Surface Downlight




12 Suspended Linear Light




13-18 Recessed Downlight



19-20 Profile Light



21-26 Outdoor Lights



27-30 Commercial & Industrial Fixture



31-34 Premium Panel





MAGNETIC SERIES


- Easy plug & play installation & arrangement
- Numerous light combinations and design possibilities
- Multiple fixtures powered by single driver



SPOT INSTA LED Light For Magnetic Track

Features :

- Pushfit into Magnetic Track
- Change Position Easily
- Multiple Fixtures Powered by Single Driver
- COB Focus Spotlight
- Aluminium Housing
- 360° Adjustable
- Narrow Beam Optical Lens



Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
G-402	10W	Black	L=96, H=113, OD=44	750	24°	AG-100	As per order	₹ 2800/-





LINEAR INSTA LED Light For Magnetic Track

Features :

- Pushfit into Magnetic Track
- Change Position Easily
- Multiple Fixtures Powered by Single Driver
- Aluminium Housing
- Glare Free Diffuser
- Diffused Flood Light Effect



Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
G-441	10W	Black	L=330, H=24, W=34	1100	180°	AG-100	As per order	₹ 2000/-
G-444	20W	Black	L=660, H=24, W=34	2200	180°	AG-100	As per order	₹ 2800/-





(Adjustable)



BLADE INSTA LED Light For Magnetic Track

Features :

- Pushfit into Magnetic Track
- Change Position Easily
- Multiple Fixtures Powered by Single Driver
- Row of Narrow Beam Spotlight
- Aluminium Housing



COB



Narrow
Beam



IP20
Dust / Insect
protected



CRI
>80




PF
>0.95



3KV
Surge
Protection



Colours Available
CW NW WW



100-350V
AC 50Hz



All dimension
in mm



Fluctuation Proof





2 YEAR
WARRANTY

Blade Insta LED Light For Magnetic Track - Adjustable

Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
G-447	6W	Black	L=128, W=32, H=55	420	24°	AG-100	As per order	₹ 2450/-

Blade Insta LED Light For Magnetic Track

Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
G-450	10W	Black	L=330, W=34, H=21	1100	24°	AG-100	As per order	₹ 2600/-




100W Power Module

TRACK CHANNEL

Features :

- Surface Mounted
- Designed to Complement Insta Magnetic Series of Lights



Magnetic Track

Cat No	Length	Body Colour	Dimensions (mm)	Packing Case	MRP
G-461	1 Meter	Black	L=1000, B=35, H=10	As per order	₹ 1500/-
G-462	2 Meter	Black	L=2000, B=35, H=10	As per order	₹ 2900/-

Power Module

Cat No	Power	Body Colour	Dimensions (mm)	Packing Case	MRP
AG-100	100W Power Module	Black	L=220, W=50, H=22	As per order	₹ 3200/-




Multiuse Corner



Vertical Corner



Linear Connector



In-Built Input Box



TRACK CHANNEL ACCESSORIES

Features :

- Secure locking mechanism
- Magnetic Force Connection
- A variety of joiners available to make longer lengths



External Input Conductive Box



Magnetic Track Channel Accessories

Cat No	Description	Body Colour	Packing Case	MRP
G-465	Multiuse Corner - Conductive Connector	Black	As per order	₹ 600/-
G-466	Vertical Corner - Conductive Connector	Black	As per order	₹ 600/-
G-467	Linear Connector - Conductive to move for joining track neck	Black	As per order	₹ 500/-
G-468	In-Built Input Box - For Hiding wire of SMPS	Black	As per order	₹ 220/-
G-469	External Input Conductive Box - For Hiding wire	Black	As per order	₹ 500/-

SURFACE DOWNLIGHTS





Round

Rose Gold



Nickel Black





Square

Rose Gold

NOVA Surface LED COB

Features :

- COB Downlight
- Beam Angle 38°
- Aluminium Housing
- Surface Mounting
- Reflector Rose Gold(RG) & Nickel Black(NB)




Nova Cylindrical LED COB

Cat No	Power	Reflector	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
L-333	10W	RG / NB	W / B	OD=55, L=100	750	38°	In-Built	20	₹ 950/-
L-336	15W	RG / NB	W / B	OD=73, L=100	1400	38°	In-Built	20	₹ 1250/-
L-339	20W	RG / NB	W / B	OD=73, L=132	1600	38°	In-Built	20	₹ 1650/-

Nova Square LED COB


Cat No	Power	Reflector	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
G-334	10W	RG / NB	W / B	OD=54, L=80	800	36°	In-Built	20	₹ 1500/-



ZIVA Surface COB - Adjustable Cylindrical Downlight

Features :

- COB Downlight
- Wall Washer
- Aluminium Housing
- 360° Adjustable Focus
- Surface Mounting



COB



Adjustable



Beam



IP20
Dust / Insect
protected



CRI
> 80




PF
> 0.95



3KV
Surge
Protection




Colours Available
CW NW WW



(100-350V)
AC 50Hz



All dimension
in mm




Fluctuation Proof



2 YEAR
WARRANTY

Ziva Surface COB - Adjustable Cylindrical Downlight

Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
G-338	12W	Black	OD=55, L=160	1200	36°	In-Built	20	₹ 2400/-



LINEA Suspended LED Linear Light

(Hanging with Wire)

Features :

- Used as Surface Mount as well as Hanging Pendent
- Aluminum Extrusion Housing with PC Diffuser
- Creating a Harmonious Rhythm in any Interior setting.



Non
Adjustable



Narrow
Beam



IP 20
Dust / Insect
protected



CRI
> 80




PF
> 0.95



3KV
Surge
Protection



Colours Available
(CW) (NW) (WW)



100-350V
AC 50Hz



All dimension
in mm



Fluctuation Proof



2 YEAR
WARRANTY

Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
G-471	42W	Black	L=1200, W=50, H=70	3800	60°	In-Built	As per Order	₹ 2200/-

Note : Set of Two Suspension Wires MRP Rs.200/-

RECESSED DOWNLIGHT






BEAM BLADE LED Spot Light

Features :

- Row of Narrow Beam Spot Lights
- Aluminium Housing
- Create Beautiful Light Environment and Highlight Spaces with these Focus Lights
- Recessed Mounting
- Rose Gold, White & Nickel Black Reflector



CRI
>80

PF
>0.95

3KV
Surge
Protection

Colours Available
CW NW WW

100-350V)
AC 50Hz

All dimension
in mm


Fluctuation Proof

2YEAR
WARRANTY

Cat No	Power	Reflector	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
G-455	10W	Interchangeable	W / B	L=147, CO=137, H=33	900	36°	AL-72	20	₹ 1400/-

RAY SPOT LED COB Light

- Aluminium Extrusion
- Trimless Wall Washer
- 360° Adjustable Focus
- Halogen Effect
- Recessed Mounting
- White & Black Body



Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
G-451	12W	W / B	L=122, CO=70, OD=44	1120	24°	AL-44	20	₹ 2200/-

RECESSED DOWNLIGHTS





Rose Gold

12W



Nickel Black



Rose Gold




15W

CORAL LED COB

Features :

- Deep COB Downlight
- Aluminium Housing
- Reflector Rose Gold(RG) & Nickel Black(NB)
- Beam Angle 36°
- Recessed Mounting



COB



Non
Adjustable



Beam



IP20
Dust / Insect
protected



CRI
> 80



PF
> 0.95



3KV
Surge
Protection



Colours Available
CW NW WW



100-350V
AC 50Hz



All dimension
in mm



Fluctuation Proof



2YEAR
WARRANTY


Cat No	Power	Reflector	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
G-109	12W	RG / NB	W / B	H=80, CO=Ø78, OD=85	1150	36°	AL-44	20	₹ 1250/-
G-110	15W	RG / NB	W / B	H=77, CO=Ø78, OD=85	1400	36	AL-72	12	₹ 1580/-



SIGMA LED COB

Features :

- Deep COB Downlight
- Adjustable Focus
- Aluminium Housing
- Diamond Cut Reflector
- Recessed Mounting



COB



Adjustable



Narrow
Beam



IP20
Dust / Insect
protected



CRI
>0.95




PF
>0.95



3KV
Surge
Protection



Colours Available
CW NW WW



(100-350V)
AC 50Hz



All dimension
in mm



Fluctuation Proof



2 YEAR
WARRANTY


Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
L-315	6W	White	H=68, CO=Ø65, OD=78	400	24°	AL-12	20	₹ 970/-
L-316	15W	White	H=88, CO=Ø87, OD=99	1400	36°	AL-72	12	₹ 1600/-
L-317	30W	White	H=95, CO=Ø108, OD=122	2600	36°	AL-94	8	₹ 2300/-
L-328	40W	White	H=115, CO=Ø134, OD=142	3800	46°	AL-78	8	₹ 2900/-



ZOOM LED COB

Features :

- Wallwasher COB Downlight with 180° Zoom
- Adjustable Focus
- Aluminium Housing
- Diamond Cut Reflector
- Recessed Mounting



COB



Non
Adjustable



Narrow
Beam



IP20
Dust / Insect
protected



CRI
>80



PF
>0.95



3KV
Surge
Protection



Colours Available
CW NW WW



100-350V)
AC 50Hz



All dimension
in mm



Fluctuation Proof



2YEAR
WARRANTY



2YEAR
WARRANTY



2YEAR
WARRANTY


Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
L-192	10W	White	H=77, CO=Ø115, OD=125	750	40°	AL-76	8	₹ 2150/-
L-195	25W	White	H=160, CO=Ø178, OD=190	1875	40°	AL-76	8	₹ 3900/-
L-197	35W	White	H=160, CO=Ø178, OD=190	2650	40°	AL-77	8	₹ 4950/-

PROFILE LIGHTS






Recessed Alco Profile



Surface Alco Profile



ALCO LED Profile - Recessed & Surface

Features :

- Extruded Aluminium Channel with Diffuser for use with LED Striplight
- Available in 1 Meter & 2 Meter, Natural & Black Body Colour
- MRP Without LED & Without Driver for 1 & 2 Meter



Cat No	Dimensions	Body Colour	Mounting	Used With	Packing Case	MRP
L-1707 (R) N	LED Profile - 17X07 mm	Natural	Recessed	L-801, L-804, L-806, L-901, L-921	50	₹ 100/-
L-1707 (R) B	LED Profile - 17X07 mm	Black	Recessed	L-801, L-804, L-806, L-901, L-921	50	₹ 150/-
L-1715 (R) N	LED Profile - 17X15 mm	Natural	Recessed	L-801, L-804, L-806, L-901, L-921	40	₹ 230/-
L-2010 (R) N	LED Profile - 20X10 mm	Natural	Recessed	L-801, L-804, L-807	40	₹ 230/-
L-3535 (R) N	LED Profile - 35X35 mm	Natural	Recessed	L-804, L-807	16	₹ 550/-
L-1707 (S) N	LED Profile - 17X07 mm	Natural	Surface	L-801, L-804, L-806, L-901, L-921	50	₹ 100/-
L-1707 (S) B	LED Profile - 17X07 mm	Black	Surface	L-801, L-804, L-806	50	₹ 150/-
L-1010 (S) N	LED Profile - 10X10 mm	Natural	Surface	L-801, L-804, L-806	50	₹ 150/-
L-1712 (S) N	LED Profile - 17X12 mm	Natural	Surface	L-801, L-804, L-806	40	₹ 230/-

(These MRP's are Only for 1 Meter)

OUTDOOR LIGHTS





SINGLE


DOUBLE



VIBE LED COB Updown Lighter

Features :

- Outdoor Application
- Beam Angle : 60°
- Wall Mounted
- Decorative Lighting to Create Beautiful Facade



COB



Non
Adjustable



Narrow
Beam



IP66
Dust / Water
Protected



CRI
>80




PF
>0.95



3KV
Surge
Protection



Colours Available
CW WW



(100-350V)
AC 50Hz



All dimension
in mm



Fluctuation Proof



2 YEAR
WARRANTY

Cat No	Power	Lights	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Packing Case	MRP
G-116	4W	Single	Black	L=75, W=63	350	60°	20	₹ 750/-
G-117	8W	Double	Black	L=145, W=75	700	60°	20	₹ 900/-



Single



Triple



Double



4-Way

Marcus LED Updown Lighter

Features :

- Outdoor Application
- Beam Angle : 60° With Lens
- Wall Mounted
- Decorative Lighting to Create Facade



LED 2835



Non
Adjustable



60°
Narrow
Beam



IP66
Dust / Water
Proof



CRI
> 80




PF
> 0.95



3KV
Surge
Protection



Colours Available
CW WW



(100-350V)
AC 50Hz



All dimension
in mm



Fluctuation Proof



2 YEAR
WARRANTY

Cat No	Power	Lights	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Packing Case	MRP
G-114	3W	Single	Black	L=80, W=76	240	60°	20	₹ 700/-
G-122	6W	Double	Black	L=119, W=76	480	60°	20	₹ 800/-
G-123	9W	Triple	Black	L=160, W=76	720	60°	20	₹ 900/-

Marcus / Ikon 4-Way Outdoor Light



Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Packing Case	MRP
G-126	4W	Black	L=64, W=64, H=45	300	20	₹ 800/-



Target COB Spot Light

Features :


- Aluminium Extrusion
- Outdoor Application
- Garden Spread Light
- Ground Surface Mounted
- Create High Intensity Spot Light Effect



Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Packing Case	MRP
G-120	5W	Black	L=78, OD=60	440	60°	20	₹ 700/-

Note : With Spike M.R.P. Rs.140/- Extra


Cat No	Power	Body Colour	Dimensions (mm)	Colour	Beam Angle	Packing Case	MRP
G-120 - B/R/G	5W	Black	L=78, OD=60	Blue / Red / Green	60°	20	₹ 700/-



Ikon LED Step Light

Features :

- Outdoor Application
- Direct Fit into 3"X3" Box
- Recessed Mounted
- Auxiliary Lighting for Mounting on Foot of the Wall



LED 2835



Non
Adjustable



Narrow
Beam



IP66
Dust / Water
Proof



CRI
> 80




PF
> 0.95



3KV
Surge
Protection




Colours Available
CW WW



(100-350V)
AC 50Hz



All dimension
in mm



Fluctuation Proof



2 YEAR
WARRANTY

Ikon Step Light


Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Size	Packing Case	MRP
G-118	3W	Black	L=84, CO=46	270	Fit into - 3"X3" Box	20	₹ 750/-



Brick LED Outdoor Light

Features :

- Outdoor Application
- Surface Mounted
- Glarefree Diffuser
- Decorative Lighting



LED 2835



Non
Adjustable



Narrow
Beam



IP66
Dust / Water
Proof



CRI
>80




PF
>0.95



3KV
Surge
Protection




Colours Available
CW WW



(100-350V)
AC 50Hz



All dimension
in mm



Fluctuation Proof



2 YEAR
WARRANTY

Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Packing Case	MRP
G-125	8W	Black	L=117, H=85	560	20	₹ 1200/-

COMMERCIAL FIXTURES







LED Matrix - Armstrong - 2x2

Features :

- CRCA Powder Coated White Body After Antirust Treatment
- Highly Translucent Diffuser for Glare Free Symmetric Light Distribution
- High Performance LED Driver with Short Circuit Protection
- Isolated IP20 Electronic LED Driver with APFC, lower THD, Open Circuit Protection, High Voltage Protection, Short Circuit Protection, Surge Protection upto 4 KV with high efficiency, high power factor & flicker free light.
- Recessed Mounted



Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
L-387A	40W	White	H=67, CO=Ø580, OD=595	5200	120°	AL-124	2	₹ 2800/-
L-287A	60W	White	H=67, CO=Ø580, OD=595	7800	120°	AL-92	2	₹ 4900/-
L-288A	80W	White	H=67, CO=Ø580, OD=595	8500	120°	AL-93	2	₹ 5200/-



LED MATRIX - POP - 1x1, 2x2 1x2

Features :

- CRCA Powder Coated White Body After Antirust Treatment
- Highly Translucent Diffuser for Glare Free Symmetric Light Distribution
- High Performance LED Driver with Short Circuit Protection
- Isolated IP20 Electronic LED Driver with APFC, lower THD, Open Circuit Protection, High Voltage Protection, Short Circuit Protection, Surge Protection upto 4 KV with high efficiency, high power factor & flicker free light.
- Recessed Mounted



LED 2835



Non Adjustable



Very Wide Beam



Ceiling Thickness



IP20
Dust / Insect protected




CRI > 80



PF > 0.95



3KV
Surge Protection




(100-350V)
AC 50Hz



Colours Available
CW NW WW



All dimension
in mm



Fluctuation Proof



2 YEAR
WARRANTY

Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
L-387B	40W	White	H=67, CO=Ø580, OD=595	5200	120°	AL-124	2	₹ 3200/-
L-287B	60W	White	H=67, CO=Ø580, OD=595	7800	120°	AL-92	2	₹ 5300/-
L-288B	80W	White	H=67, CO=Ø580, OD=595	8500	120°	AL-93	2	₹ 5600/-


Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
L-281	22W	White	H=52, CO=Ø290, OD=304	2860	120°	AL-82	4	₹ 2400/-
L-282	30W	White	H=52, CO=Ø290, OD=304	3600	120°	AL-94	4	₹ 2900/-
L-283	30W	White	H=52, CO=Ø290X580, OD=594X304	3600	120°	AL-92	4	₹ 3200/-



LED LUMINO - Surface - 1x1 & 2x2

Features :

- CRCA Powder Coated White Body After Antirust Treatment
- Highly Translucent Diffuser for Glare Free Symmetric Light Distribution
- High Performance LED Driver with Short Circuit Protection
- Isolated IP20 Electronic LED Driver with APFC, lower THD, Open Circuit Protection, High Voltage Protection, Short Circuit Protection, Surge Protection upto 4 KV with high efficiency, high power factor & flicker free light.
- Surface Mounted



Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
L-117	25W - 1x1	White	H=38, OD=332X332	3000	120°	-	2	₹ 2400/-
L-119	40W - 2x2	White	H=52, OD=560X560	5200	120°	AL-124	2	₹ 3700/-
L-112	60W - 2x2	White	H=50, OD=560X560	8500	120°	AL-92	2	₹ 5000/-

PREMIUM PANEL





LED Panel Round - Premium

Features :

- Edge Lit Panel | PMMA Light Guide Diffuser
- Aluminium Housing | Anti Glare | Recessed Mounting
- Isolated IP20 Electronic LED Driver with APFC, lower THD, Open Circuit Protection, High Voltage Protection, Short Circuit Protection, Surge Protection upto 4 KV with high efficiency, high power factor & flicker free light.



Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
L-96 II	4W	White	H=22, CO=Ø77, OD=84	280	120°	AL-11	20	₹ 440/-
L-97	6W	White	H=22, CO=Ø99, OD=116	450	120°	AL-23	20	₹ 580/-
L-98	12W	White	H=22, CO=Ø134, OD=140	900	120°	AL-44	12	₹ 800/-
L-99	15W	White	H=22, CO=Ø167, OD=178	1380	120°	AL-72	8	₹ 1040/-
L-100	18W	White	H=22, CO=Ø180, OD=199	1400	120°	AL-81	8	₹ 1150/-
L-95	22W	White	H=22, CO=Ø210, OD=224	1560	120°	AL-82	8	₹ 1360/-



LED Panel Square - Premium

Features :

- Edge Lit Panel | PMMA Light Guide Diffuser
- Aluminium Housing | Anti Glare | Recessed Mounting
- Isolated IP20 Electronic LED Driver with APFC, lower THD, Open Circuit Protection, High Voltage Protection, Short Circuit Protection, Surge Protection upto 4 KV with high efficiency, high power factor & flicker free light.



LED 2835



Non Adjustable



Very Wide Beam



Ceiling Thickness



IP20
Dust / Insect protected




CRI > 80



PF > 0.95



4KV
Surge Protection




(100-350V)
AC 50Hz



Colours Available
CW NW WW



All dimension in mm



Fluctuation Proof



2 YEAR WARRANTY

Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
L-90 II	4W	White	H=20, CO=Ø78XØ78, OD=85X85	280		AL-11	20	₹ 440/-
L-91	6W	White	H=20, CO=Ø95XØ95, OD=111X111	430		AL-23	20	₹ 580/-
L-92	12W	White	H=20, CO=Ø127XØ127, OD=134X134	820		AL-44	12	₹ 800/-
L-93	15W	White	H=20, CO=Ø155XØ155, OD=168X168	1200		AL-72	8	₹ 1040/-
L-94	22W	White	H=20, CO=Ø204XØ204, OD=217X217	1630		AL-82	8	₹ 1360/-



LED Panel Round & Square - Premium - Surface

Features :

- Edge Lit Panel | PMMA Light Guide Diffuser
- Aluminium Housing | Anti Glare | Recessed Mounting
- Isolated IP20 Electronic LED Driver with APFC, lower THD, Open Circuit Protection, High Voltage Protection, Short Circuit Protection, Surge Protection upto 4 KV with high efficiency, high power factor & flicker free light.



Panel Round - Premium Surface

Cat No	Power	Body Colour	Dimensions (mm)	Lumen	Beam Angle	Driver	Packing Case	MRP
L-263	6W	White	H=37, OD=116	450	120°	AL-45	20	₹ 660/-
L-269	12W	White	H=37, OD=170	900	120°	AL-44	8	₹ 920/-
L-267	15W	White	H=37, OD=170	1160	120°	AL-75	8	₹ 1050/-

Panel Square - Premium Surface


L-264	6W	White	H=37, OD=116X116	430	120°	AL-45	20	₹ 660/-
L-270	12W	White	H=37, OD=175X175	900	120°	AL-44	8	₹ 920/-
L-268	15W	White	H=37, OD=175X175	1160	120°	AL-75	8	₹ 1050/-

General Notes:

- This Price List is effective from 1st September 2023
- Every effort has been made to ensure accuracy in compilation of technical/commercial detail in this catalog
- Specifications and performance data are constantly changing; current details should therefore be checked with the company
- Input Voltage : 100V-350V AC 50Hz
- CRI>80 of Cool White Colour
- Colour : Cool White- 6000K - 6500K
- Neutral White- 4000K - 4200K
- Warm White- 2800K-3000K
- M.R.P. is inclusive of all taxes
- M.R.P. is inclusive of electronic driver (unless mentioned otherwise)
- All lumens are system lumens.
- All wattages are system wattages.
- All dimensions are in mm
- H=Height, CO=Cutout, OD=Outer Dimensions, L=Length, B=Breadth
- CW=Cool White, NW=Neutral White, WW=Warm White



CLIENT PORTFOLIO



DFL The Arbour - Gurgaon



Prometheus School - Noida



SRM University - Bareilly



BL Kashyap - New Delhi



Friends Club - New Delhi



Carnival - Shajhanpur

CLIENT PORTFOLIO

SCHOOLS & UNIVERSITY



Neelgi School - Noida



SD Dharma Public School New Delhi



Delhi Public School - Haryana



Indian Valley Public School - Noida



Dal Thakur Public School - Delhi



The Maharaja University - Delhi



MM University - Malwa



Jaipur University - Rajasthan



Indira Gandhi Institute - Bangalore



Mithun Public School - Delhi

HOSPITALS



GMS Hospital - Gurgaon



Apex Hospital - Mohali



Gop Dey Hospital - Gurgaon



Pain Relief Center - New Delhi



Hesperia Hospital - Gurgaon

HOTELS & RESORTS



The Crown Hotel - Rajasthan



Palace Hotel - Rajasthan



Country Inn & Resort - Rajasthan



Prince Wedding Resort - Palda



The Best Hotel - Rajasthan

SHOWROOMS



Siddhant Stop - Hyderabad



Pacific Mall - New Delhi



Westside Showroom - Gurgaon



J. J. Jensen Showroom - Gurgaon



Hyundai Showroom - Gurgaon

BANKS & MNC



HDFC Bank - Gurgaon



HDFC Bank - Gurgaon



Sundaram - Noida



Indian Oil Corporation - Delhi



BPO, Petrol Pump U.P. & Bangalore

PETROL PUMP



CAPTAIN GEARS & FANS

B-84 Sector 80, Phase II Noida - 201305 (U.P.)

Call us : 9810145540, 9560366602

AN ISO 9001:2015 CERTIFIED COMPANY

Email : compact@compactlighting.net, Web : www.compactlighting.net

